
THOMPSON — stone—

natural thin stone veneer collection

PRODUCT CATALOG



native natural cuts.

Our expert craftsmen harvest and process stones from our own quarries, mountains, fields and woodlands throughout New England. We have everything you need for innovative and unique interior and exterior residential, commercial and landscape design. With our years of experience, you can expect superior product quality with excellent customer service.

Our full line of thin stone veneer is available at local masonry and building supply centers throughout the United States.

visit us at: thompsonstonect.com




















thompsonstonect.com

ledge.





Thickness: 3/4" to 1 1/2"

Height: 1" - 4"

Length: 6"± - 12"±

Weight: Less than 15 lbs per SF

Flats sold per square foot Corners sold per linear foot

thompsonstonect.com

mosaic.





Thickness: 3/4" to 1 1/2" Facing: 0.33 - 1.50 SF Weight: Less than 15 lbs per SF

Flats sold per square foot Corners sold per linear foot

Stones in photos have been field-trimmed. Depending on preference, more or less trimming may be required to achieve desired look.













square and rec.

thompsonstonect.com





Thickness: 3/4" to 1 1/2" Facing: 0.33 - 1.50 SF

Weight: Less than 15 lbs per SF

Flats sold per square foot Corners sold per linear foot

strip.





Thickness: 3/4" to 1 1/2" Height: 4" - 7"

Length: $8" \pm to 18" \pm$ Weight: Less than 15 lbs

per SF

Flats sold per square foot Corners sold per linear foot





ct rounds




native rounds™



corner







please note


Stones in photos have been professionally shaped and field-trimmed. Finished applications are at the discretion of the property owner and installing contractor. Each piece of natural stone varies in color, veining and pattern.

Photos used in brochures and websites are to create a general idea of the material. We produce our stone veneer product from natural stone and it is provided to you "as is". We encourage you to visit one of our dealer locations to view displays, request samples, and work with sales professionals able to realize your vision.

Please blend all material before installation when multiple pallets are being used. For best results, washing stone before interior installation is recommended. The quantities of our packaging will take into account a standard installation including a mortar joint. Installation using a dry stack method or trimming of stone will require additional material.




Stones in photos have been field-trimmed. Depending on preference, more or less trimming may be required to achieve desired look.













THOMPSON

thomps on stonect.com

GETTY GRANITE

 $thompson\ stone\ is\ manufactured\ and\ distributed\ by\ Getty\ Granite,\ a\ division\ of\ Connecticut\ Superior\ Stone$

